



## Track Cyclone | Walk Behind Flail Mower



# Overview

## A Walk Behind Flail Mower For Professionals

The AHRC663 Walk Behind Flail Mower by Orec, The Cyclone (Track Drive Version), does the brush clearing and mulching for you! This brush-mulching beast can take down tall grass, weeds, brambles, and even small saplings. Add to that the thirty-eight flail blades that chew up and mulch the brush and you have an all-in-one brush mower and mulching machine. The Cyclone is easy to use, too, with a stress-free clutch turning system and easy to use blade height adjustment.

## What Will The Cyclone Flail Mower Bring to Your Team?

**Toughness** – If the blades hit rocks or stumps, the flails pivot and release shock which protects the spindle from damage.

**Superior Cutting** – Rotary mowers cut only the bottom of the high weeds and often leave them standing. The Cyclone's flail blades rotate in an "up-cut" motion, thereby catching the whole plant at once. This walk behind flail mower also mulches material down while cutting.

**Safety** – Unlike rotary mowers, which can throw objects in all directions, the Cyclone's steel flap guards help keep dangerous objects inside the deck.

Interested in this product?

[GET A QUOTE](#)

# Features

Blade Height Adjustment, Brake Clutch Steering, Handle Height Adjustment, Honda Engine, Multiple Flail Blades Drum, Parking Brake, Sulky Attachment, Track Drive

# Specifications

AHRC663, Cyclone Flail Mower, Trac

Type, Honda (gas)

Displacement, 270 cc

Horsepower, 8.4 hp

Fuel Tank Capacity, 1.4 gal.

Cutting Width, 25.6 in.

Cutting height, 2 - 4 in. (variable)

Cutting System, Vertical Flail

OREC original heavy duty gear, 0.6 mph, 1.2 mph, 2.1 mph

0.6 mph (reverse)

Length, 75 in.

Width, 31 in.

Height, 47 in.

Weight, 450 lbs.

## How to use

## Testimonial